



RENEET TECHNOLOGY

"Your Requirement, Our Commitment to Deliver."

Product Data Sheet

About Reneet Technology

Reneet Technology was Established in year 2015 with the aim of catering to the growing demands of Industrial Fasteners. Today Reneet Technology is an leading supplier of wide range of products globally including Precision Fasteners, Turned Parts, Forging Products, Casting Products, Rubber parts, Sheet metal components complying to various National and International standards.


We have a team of young visionaries who endeavor for excellence in every aspect We strongly believe in our core values and are always in the pursuit of success along the lines of ethical business practices.

Over the past few years Reneet Technology has provided immense support to this industry In India and has built various congenial customer relations. We Supply best quality materials from our end to meet the requirement of our customers. Our unique selling proposition is that alongside the standard sizes available, we even provide the clients the best Customized solutions to cater exactly to their needs.

We provide customized products to the customers on the basis of drawing and sampling to exactly fit to a customer's need.

As we move forward in to the 21st century Reneet Technology will continue to identify new opportunities that will enable it to Increase its sales as well as ensure it's current recognition into marketplace

Committed to Our Values



1	Scre	ew's / l	Bolt's	5
DESCRIPTION	SIZE RANGE	MATERIAL	DIN	IS
Allen Grub Screw	D(3MM TO 6MM) L(4MM TO 50MM)	SS 304, SS 316	963	1365 -1978
Slotted Countersunk Head Screw	D(2MM TO 12MM) L(4MM TO 100MM)	SS 304, SS 316	963	1365 -1978
Countersunk Philips	D(2MM TO 12MM) L(4MM TO 100MM)	SS 304, SS 316		7485 -1985
Pan Philips Screw/Bolt	D(2MM TO 12MM) L(4MM TO 100MM)	SS 304, SS 316	7985	7485 -1985
Slotted Cheese Head Screw/bolt	D(2MM TO 10MM) L(4MM TO 100MM)	SS 304, SS 316	84	1366 -198
Allen CSK Screw/Bolt	D(2MM TO 12MM) L(4MM TO 100MM)	SS 304, SS 316	7991	6761 -1972
Allen Cap Bolt	D(3MM TO 20MM) L(6MM TO 150MM)	SS 304, SS 316	916	
	D(3MM TO 20MM) L(6MM TO 150MM)	SS 304, SS 316	933	1364 -1992

(B)

Ø

RT		Scre	ew's /]	B
	DESCRIPTION	SIZE RANGE	MATERIAL	
	Cap Screw	D(3MM TO 6MM) L(4MM TO 50MM)	SS 304, SS 316	<u> </u>
	RIVETS	D(2MM TO 12MM) L(4MM TO 100MM)	SS 304, SS 316	
	T BOLT	D(2MM TO 12MM) L(4MM TO 100MM)	SS 304, SS 316	
	Capstan Screw	D(2MM TO 12MM) L(4MM TO 100MM)	SS 304, SS 316	
	Slotted Headless Screw	D(2MM TO 10MM) L(4MM TO 100MM)	SS 304, SS 316	
	Slotted Pan Head Screw	D(2MM TO 12MM) L(4MM TO 100MM)	SS 304, SS 316	
	Shoulder Bolt	D(3MM TO 20MM) L(6MM TO 150MM)	SS 304, SS 316	
	Mushroom Head Square Neck Bolt	D(3MM TO 20MM) L(6MM TO 150MM)	SS 304, SS 316	

Bolt's

DESCRIPTION	SIZE RANGE	MATERIAL	DIN	IS
Cap Screw	D(3MM TO 6MM) L(4MM TO 50MM)	SS 304, SS 316	912	4762 -1989
RIVETS	D(2MM TO 12MM) L(4MM TO 100MM)	SS 304, SS 316	660/661	
T BOLT	D(2MM TO 12MM) L(4MM TO 100MM)	SS 304, SS 316	186/799	1051
Capstan Screw	D(2MM TO 12MM) L(4MM TO 100MM)	SS 304, SS 316	404	4023
Slotted Headless Screw	D(2MM TO 10MM) L(4MM TO 100MM)	SS 304, SS 316	427	2342
Slotted Pan Head Screw	D(2MM TO 12MM) L(4MM TO 100MM)	SS 304, SS 316	923	-
Shoulder Bolt	D(3MM TO 20MM) L(6MM TO 150MM)	SS 304, SS 316	7379	7379
Mushroom Head Square Neck Bolt	D(3MM TO 20MM) L(6MM TO 150MM)	SS 304, SS 316	603	8677

]	NUT'S	/ WAS	SHER	S
DESCRIPTION	SIZE RANGE	MATERIAL	DIN	IS
Dome Nut	D (4mm to 24mm)	SS 304,SS316	1587	7790
Flange Nut	D (4mm to 12mm)	SS 304,SS316	6923	_
Nylock Nut	D (3mm to 16mm)	SS 304,SS316	982	7002-1972
Csk Hex / Lock Nut	D (M5 to M24)	SS 304,SS316	439	1364
Nex Nut	D (2mm to 24mm)	SS 304,SS316	934	1364 P3-2002

RT

a

1

Q

Plane Washer	M3 to M24 & 1/8" to 1" Thick 1,2mm to 3mm	SS 304,SS316	125	2016 1967
Cup Washer	M3 to M24 & 1/8" to 1" Thick 1,2mm to 3mm	SS 304,SS316	125	2016 1967
Spring Washer	M3 to M24 & 1/8" to 1" Square & Flat	SS 304,SS316	125	2016 1967
Disc Spring Washer	A6 to A140 MM	Stainless Steel	Din 2093	

1	DES	T	Hex	Hex S	Screw 8	Ad	Slot	

PIN'S / PLUGS / RING'S / LOCK NUT'S

DESCRIPTION	SIZE RANGE	MATERIAL	DIN
Dowel Pin	D (3mm to 12mm)	SS 304,SS316	7
Tapper Pin	M3 to M10	SS 304,SS316	1
	DIA (10mm to 20mm)	SS 304,SS316	1443

Hexagon Socket Screw Plug	M8X1 to M24X1.5 G3/4" to G2"	SS 304,SS316	908
Screw Plugs with Collar & Outer Hexagon	M8X1 to M24X1.5 G3/4" to G2"	SS 304,SS316	910
Hexagon Head Screw Plug	M8X1 to M24X1.5 G3/4" to G2"	SS 304,SS316	7 604

Adjusting Ring	A8 to A100	SS 304,SS316	705
Slotted Lock Nut	M10 to M60	SS 304,SS316	1804
Lock Nut	M10 to M110	SS 304,SS316	981

	DE	U	Sha	-	DE		_		(ANTI VIB	
										AN	
R			-					_			
										D	

SHAFTS AND SLEEVES RUBBER'S

DESCRIPTION	SIZE RANGE	MATERIAL
Sharts	D(20mm to 100mm)	Stainless,Alloys & Duplex
Shaft Sleeves	D(15MM TO 100MM)	Stainless,Alloys & Duplex

DESCRIPTION	SIZE RANGE	Polymer
Washers	As per Customer Requirments	EPDM,Silicon & Butyl
Gaskets	As per Customer Requirments	EPDM,Silicon & Butyl
Bellows	As per Customer Requirments	EPDM,Silicon & Butyl

Rubber Seal	As per Customer Requirments	EPDM,Silicon & Butyl
ANTI VIBRRATION RUBBER MOUNTS	As per Customer Requirments	NR / SBR / As per Requirment
EPDM O RING	3 TO 10 MM	EPDM,Silicon & Butyl



SPECIAL PARTS SHEET METAL

DESCRIPTION	SIZE RANGE	MATERIAL
Flat Rivet Nut	As per Customer Requirments	Stainless Steel, aluminium & Carbon Steel
Chain	As per Customer Requirments	Stainless Steel, aluminium & Carbon Steel
Bush	As per Customer Requirments	Stainless Steel, aluminium & Carbon Steel

Clamps		
RSA	As per Customer Requirments	Stainless Steel, aluminium & Carbon Steel
Circups		
	As per Customer Requirments	Stainless Steel, aluminium & Carbon Steel
	As per Customer Requirments	Stainless Steel, aluminium & Carbon Steel

Non Std Parts









Fasteners / Special parts







CASTING PARTS



FORGING RING ROLLING



FORGED HIGH PRESSURE PIPE FITTINGS :





FORGED HIGH PRESSURE PIPE FITTINGS :

PRODUCTS	• ELBOW • UNION • TEE • CROSS • SWAGE NIPPLE • COUPLING • BULL PLUG • END CAP • STREET ELBOW • PLUG • BUSHING	
SIZE RANGE	• NPS : 1/8" TO 4"; DN 6-100	
RATING PRESSURE	• THREADED END –2000/3000/6000 LBS • SOCKET WELD –3000/6000/9000 LBS	
	• ASMEB16.11, ASME B16.9 • ANSI/ASME-B1.20.1-1983 NPT	
MATERIAL SPECIFICATION	 ASTM A105,A350LF2, A106, A312, A234,A403. ASTM A182(F304, F304L, F316,F316L, F304H, F316H, F317L, F321, F11, F22, F91) 	





BUTT WELD PIPE FITTINGS :









Automobile Parts





Certificate



QUALITY CERTIFICATION



QUALITY CERTIFICATION U K QC



ISO 14001:2015

for the following scope :

Suppliers of Precision Fasteners, Turned Parts, Forging Products, Casting Products, Rubber Parts, Sheet Metal Components, Industrial Heaters, Vibration and Noise Control Parts

CERTIFICATE NO.: 21BY174E



ISTRAR CERTIFICATIO









RENEET TECHNOLOGY

+91-9021667420 sales@reneettech.com



RENEET TECHNOLOGY

